



# Sonoma Disaster Council

Thursday, September 10, 2009

3:30 p.m.

Emergency Operations Center

Sonoma Police Department

175 First Street West, Sonoma

## MEETING AGENDA

1. **INTRODUCTIONS**

2. **COMMENTS FROM THE PUBLIC**

*At this time, members of the public may comment on any item not appearing on the agenda. It is recommended that you keep your comments to three minutes or less. Under State Law, matters presented under this item cannot be discussed or acted upon by the Disaster Council at this time. For items appearing on the agenda, the public will be invited to make comments at the time the item comes up for Council consideration.*

3. **REVIEW AND APPROVAL OF MINUTES – July 9, 2009**

4. **REVIEW LOCAL HAZARD MITIGATION PLAN**

The Emergency Preparedness plan is done in conjunction with Association of Bay Area Governments (ABAG). The document is reviewed every five years and approved by FEMA. The plan helps cities and counties prepare for natural hazards such as earthquakes, flooding, climate change, and wildfires. [PowerPoint presentation](#).  
(City Manager & Management Analyst)

5. **“BIG RUMBLE” EARTHQUAKE DRILL PLANNING FOR OCTOBER 15**  
(City Manager & Management Analyst)

6. **PRE-RECORDED DISASTER HOTLINE** (City Manager & Police Chief)

7. **SET NEXT MEETING DATE – November 12, 2009**

8. **ADJOURN**

I do hereby certify that a copy of the foregoing agenda was posted on the City Hall bulletin board on September 4, 2009

Debra N. Rogers,  
Management Analyst

*Materials related to an item on this agenda submitted to the Council after distribution of the agenda packet are available for public inspection in the City Clerk's office at No. 1, The Plaza during normal business hours.*

*In accordance with the Americans with Disabilities Act, if you need special assistance to participate in this meeting, please contact the City Clerk (707) 933-2216. Notification 48-hours before the meeting will enable the City to make reasonable arrangements to ensure accessibility to this meeting.*